

宁波众高密封科技有限公司

N I N G B O Z H O N G G A O S E A L T E C H O N L O G Y C O . , L T D



公众号




VR场景



宁波众高密封科技有限公司
Ningbo ZhongGao Seal Technology Co., Ltd.

宁波众高密封科技有限公司

Ningbo ZhongGao Seal Technology Co., Ltd.



橡胶平垫片



橡胶垫的主要产品有：硅胶垫、丁腈橡胶垫、氟橡胶垫、其他橡胶垫。硅橡胶具有突出的耐高低温性能，在-70℃—+260℃的温度范围内保持良好的使用弹性，耐臭氧、耐天候老化，宜作热机械中的密封衬垫。无毒可制作绝热、绝缘制品及医用橡胶制品。橡胶平垫圈主要用于减震领域或用于流体（如水、油、空气、化学溶剂、化学药品等）的静态间隙的密封等。



宁波众睿密封科技有限公司
Ningbo Zhongrui Sealing Technology Co., Ltd.



应用领域

橡胶垫具有防水、阻燃、耐高温、导电、耐磨、耐油等优良性能，广泛用于机械、电子、水暖等多种行业，我司生产的硅胶垫符合欧盟环保标准和欧盟食品级标准。





横截面图






规格参数表

橡胶平垫圈尺寸标示及公差标准表

Table of Size and Tolerance



ID(mm)	公差 (±) Tolerances
4-14.00	0.13
14.01-15.60	0.18
15.61-25.12	0.23
25.13-29.78	0.25
29.79-34.65	0.28
34.66-44.17	0.33
44.18-50.52	0.38
50.53-66.40	0.46
66.41-75.92	0.51
75.93-94.97	0.61
94.98-107.67	0.69
107.68-126.72	0.76
126.73-133.07	0.89
133.08-158.42	0.94
158.43-183.82	1.02
183.83-209.22	1.14
209.23-234.62	1.27
234.63-278.99	1.40
279.00-405.26	1.65
405.27-430.56	1.91
430.57-456.07	2.03
458.08-.....	0.5%

W(mm)	公差 (±) Tolerances
0-1.68	0.15
1.69-2.51	0.15
2.52-3.40	0.15
3.41-5.16	0.15
5.17-6.73	0.15
6.74-.....	0.20

H(mm)	公差 (±) Tolerances
0-1.68	0.08
1.69-2.51	0.10
2.52-3.40	0.10
3.41-5.16	0.10
5.17-6.73	0.10
6.74-.....	0.15

*以下各种橡胶材质均可供货NBR, Silicone, VITON, EPDM, CR

橡胶平垫圈 Rubber flat washers				橡胶平垫圈 Rubber flat washers				橡胶平垫圈 Rubber flat washers			
ZG NO.	ID (MM)	OD (MM)	H (MM)	ZG NO.	ID (MM)	OD (MM)	H (MM)	ZG NO.	ID (MM)	OD (MM)	H (MM)
QN70-M00500901	5	9	1	QN70-M01803404	18	34	4	QN70-M04405603	44	56	3
QN70-M00501302	5	13	2	QN70-M01902301	19	23	1	QN70-M04406004	44	60	4
QN70-M00501703	5	17	3	QN70-M01902702	19	27	2	QN70-M04605001	46	50	1
QN70-M00502104	5	21	4	QN70-M01903103	19	31	3	QN70-M04605402	46	54	2
QN70-M00601001	6	10	1	QN70-M01903504	19	35	4	QN70-M04605803	46	58	3
QN70-M00601402	6	14	2	QN70-M02002401	20	24	1	QN70-M04606204	46	62	4
QN70-M00601803	6	18	3	QN70-M02002802	20	28	2	QN70-M04805201	48	52	1
QN70-M00602204	6	22	4	QN70-M02003203	20	32	3	QN70-M04805602	48	56	2
QN70-M00701101	7	11	1	QN70-M02003604	20	36	4	QN70-M04806003	48	60	3
QN70-M00701502	7	15	2	QN70-M02202601	22	26	1	QN70-M04806404	48	64	4
QN70-M00701903	7	19	3	QN70-M02203002	22	30	2	QN70-M05005802	50	58	2
QN70-M00702304	7	23	4	QN70-M02203403	22	34	3	QN70-M05006203	50	62	3
QN70-M00801201	8	12	1	QN70-M02203804	22	38	4	QN70-M05006604	50	66	4
QN70-M00801602	8	16	2	QN70-M02402801	24	28	1	QN70-M05007406	50	74	6
QN70-M00802003	8	20	3	QN70-M02403202	24	32	2	QN70-M05506302	55	63	2
QN70-M00802404	8	24	4	QN70-M02403603	24	36	3	QN70-M05506703	55	67	3
QN70-M00901301	9	13	1	QN70-M02404004	24	40	4	QN70-M05507104	55	71	4
QN70-M00901702	9	17	2	QN70-M02603001	26	30	1	QN70-M05507906	55	79	6
QN70-M00902103	9	21	3	QN70-M02603402	26	34	2	QN70-M06006802	60	68	2
QN70-M00902504	9	25	4	QN70-M02603803	26	38	3	QN70-M06007203	60	72	3
QN70-M01001401	10	14	1	QN70-M02604204	26	42	4	QN70-M06007604	60	76	4
QN70-M01001802	10	18	2	QN70-M02803201	28	32	1	QN70-M06008406	60	84	6
QN70-M01002203	10	22	3	QN70-M02803602	28	36	2	QN70-M06507302	65	73	2
QN70-M01002604	10	26	4	QN70-M02804003	28	40	3	QN70-M06507703	65	77	3
QN70-M01101501	11	15	1	QN70-M02804404	28	44	4	QN70-M06508104	65	81	4
QN70-M01101802	11	18	2	QN70-M03003401	30	34	1	QN70-M06508906	65	89	6
QN70-M01102303	11	23	3	QN70-M03003802	30	38	2	QN70-M07007802	70	78	2
QN70-M01102704	11	27	4	QN70-M03004203	30	42	3	QN70-M07008203	70	82	3
QN70-M01201601	12	16	1	QN70-M03004604	30	46	4	QN70-M07008604	70	86	4
QN70-M01202002	12	20	2	QN70-M03203601	32	36	1	QN70-M07009006	70	90	6
QN70-M01202403	12	24	3	QN70-M03204002	32	40	2	QN70-M07508302	75	83	2
QN70-M01202804	12	28	4	QN70-M03204403	32	44	3	QN70-M07508703	75	87	3
QN70-M01301701	13	17	1	QN70-M03204804	32	48	4	QN70-M07509104	75	91	4
QN70-M01302102	13	21	2	QN70-M03403801	34	38	1	QN70-M07509906	75	99	6
QN70-M01302503	13	25	3	QN70-M03404202	34	42	2	QN70-M08008802	80	88	2
QN70-M01302904	13	29	4	QN70-M03404603	34	46	3	QN70-M08009203	80	92	3
QN70-M01401801	14	18	1	QN70-M03405004	34	50	4	QN70-M08009604	80	96	4
QN70-M01402202	14	22	2	QN70-M03604001	36	40	1	QN70-M08010406	80	104	6
QN70-M01402603	14	26	3	QN70-M03604402	36	44	2	QN70-M08509302	85	93	2
QN70-M01403004	14	30	4	QN70-M03604803	36	48	3	QN70-M08509703	85	97	3
QN70-M01501901	15	19	1	QN70-M03605204	36	52	4	QN70-M08510104	85	101	4
QN70-M01502302	15	23	2	QN70-M03804201	38	42	1	QN70-M08510906	85	109	6
QN70-M01502703	15	27	3	QN70-M03804602	38	46	2	QN70-M09009802	90	98	2
QN70-M01503104	15	31	4	QN70-M03805003	38	50	3	QN70-M09010203	90	102	3
QN70-M01602001	16	20	1	QN70-M03805404	38	54	4	QN70-M09010604	90	106	4
QN70-M01602402	16	24	2	QN70-M04004401	40	44	1	QN70-M09011406	90	114	6
QN70-M01602803	16	28	3	QN70-M04004802	40	48	2	QN70-M09510302	95	103	2
QN70-M01603204	16	32	4	QN70-M04005203	40	52	3	QN70-M09510703	95	107	3
QN70-M01702101	17	21	1	QN70-M04005604	40	56	4	QN70-M09511104	95	111	4
QN70-M01702502	17	25	2	QN70-M04204601	42	46	1	QN70-M09511906	95	119	6
QN70-M01702903	17	29	3	QN70-M04205002	42	50	2	QN70-M10010802	100	108	2
QN70-M01703304	17	33	4	QN70-M04205403	42	54	3	QN70-M10011203	100	112	3
QN70-M01802201	18	22	1	QN70-M04205804	42	58	4	QN70-M10011604	100	116	4
QN70-M01802602	18	26	2	QN70-M04404801	44	48	1	QN70-M10012406	100	124	6
QN70-M01803003	18	30	3	QN70-M04405202	44	52	2	-	-	-	-



宁波众高密封科技有限公司

Ningbo ZhongGao Seal Technology Co., Ltd.

公司简介



宁波众高密封科技有限公司是集设计，生产，销售，经销为一体的专业密封原件制造商，工厂位于江西，深圳，目前拥有9000多平米的现代化厂房，拥有员工300余人，资深技术人员40余人



宁波众高密封科技有限公司
Ningbo ZhongGao Seal Technology Co., Ltd.

宁波众高密封科技有限公司

Ningbo ZhongGao Seal Technology Co., Ltd.



我们拥有从硫化成型到最终出货的全套先进生产设备，采用与国际标准相同的先进生产工艺，配有较齐全的实验检测设备，能对各种橡胶材料物性、产品性能进行较全面的实验和检测。我们拥有最专业的技术团队能整合您的密封方案提供最专业的建议。



宁波众高密封科技有限公司
Ningbo ZhongGao Seal Technology Co., Ltd.

宁波众高密封科技有限公司

Ningbo ZhongGao Seal Technology Co., Ltd.




公司主要产品有：O型圈，星型圈，Y型圈，D型圈，橡胶平垫，ED圈，橡胶胶条，橡胶球，各类骨架油封，格来圈斯特封，聚氨酯油封，气动密封以及按照客户需求设计的各类橡胶杂件。



宁波众高密封科技有限公司
Ningbo ZhongGao Seal Technology Co., Ltd.

宁波众高密封科技有限公司

Ningbo ZhongGao Seal Technology Co., Ltd.



产品主要为汽车，园林灌溉设备，液压，气动，煤矿机械，医疗，五金，卫浴，饮水设备等行业进行专业的配套服务。

权威认证

Authoritative certification



s & Chevron Seals

KTW W270

KTW (德国饮用水行业非金属部件的检测实验认可)代表德国联邦健康部门饮用水系统选材与健康评估权威部门,它是德国DVGW的实验室。KTW 是2003成立的强制监管机关。要求供应商符合DVGW (德国气体与水协会)的第W 270项条例“微生物在非金属材料上的传播”。这个标准主要保护饮用水不受生物杂质污染。W 270目前也是法律规定的执行规范。KTW测试的标准是EN681-1, W270的测试标准就是W270。目前所有出口欧洲的饮用水系统及辅料都必须出具KTW认证。因此,中国饮用水系统及辅料如果想要出口到欧洲国家,必须通过 KTW认证。KTW已经获得世界卫生组织(WHO)对饮用水安全认证规范的权威认定。

REACH

REACH是欧盟规章《化学品注册、评估、许可和限制》(REGULATION concerning the Registration, Evaluation, Authorization and Restriction of Chemicals)的简称,是欧盟建立的,并于2007年6月1日起实施的化学品监管体系。这是一个涉及化学品生产、贸易、使用安全的法规提案,法规旨在保护人类健康和环境安全,保持和提高欧盟化学工业的竞争力,以及研发无毒无害化合物的创新能力,防止市场分裂,增加化学品使用透明度,促进非动物实验,追求社会可持续发展等。REACH指令要求凡进口和在欧洲境内生产的化学品必须通过注册、评估、授权和限制等一组综合程序,以更好更简单地识别化学品的成分来达到确保环境和人体安全的目的。

WRAS(Water Research Advisory Scheme)认证是指水务法规咨询计划,WRAS是英国饮用水安全方面的认证。Intertek China、WRC-NSF及KIWA-UK是WRAS认可的实验室!

水务法规咨询计划(WRAS)是英国水工业的认证计划,由此计划认可的产品显示了它符合1999年供水系统(水配件)的法规和其修订版的要求。

计划的主要目标是避免水的:浪费 误用 滥用 不当的消费,不正确度量或污染物。

此项认证是通往英国市场的必须许可,虽非强制,但已是惯例,大凡水公司在提供水源时必须验收的手续之一是查看是否有符合相关标准要求的认证,WRAS的认可是最有说服力的证明,没有的将没有供水资格。



美国食品和药物管理局(Food and Drug Administration)简称FDA, FDA 是美国政府在健康与人类服务部(DHHS)和公共卫生部(PHS)中设立的执行机构之一。作为一家科学管理机构, FDA 的职责是确保美国本国生产或进口的食品、化妆品、药物、生物制剂、医疗设备和放射产品的安全。它是最早以保护消费者为主要职能的联邦机构之一。



watermark是澳大利亚标准局(Standards Australia Limited)的认证标志。认证的产品包括水龙头、各种水阀、水管、水箱配件、花洒、浴缸、管接头等供水、排污类产品。WATERMARK 是由独立认证机构所提供的产品质量认证,它确保产品符合澳洲相关的卫浴法规以及产品标准。根据澳洲的卫浴法规,所有在澳洲安装的卫浴产品需要强制进行此项认证。



LFGB认证,又称《食品、烟草制品化妆品和其它日用品管理法》是德国食品卫生管理方面最重要的基本法律文件,是其它专项食品卫生法律、法规制定的准则和核心。但是近年来也有所修改,主要是和欧洲标准相匹配。



RoHS是由欧盟立法制定的一项强制性标准,它的全称是《关于限制在电子电器设备中使用某些有害成分的指令》(Restriction of Hazardous Substances)。该标准已于2006年7月1日开始正式实施,主要用于规范电子电气产品的材料及工艺标准,使之更加有利于人体健康及环境保护。该标准的目的在于消除电机电子产品中的铅、汞、镉、六价铬、多溴联苯和多溴二苯醚共6项物质,并重点规定了铅的含量不能超过0.1%。

权威认证



宁波众高密封科技有限公司
Ningbo ZhongGao Seal Technology Co., Ltd.

宁波众高密封科技有限公司

Ningbo ZhongGao Seal Technology Co., Ltd.



ISOTS16949



Test Report No. NGBEC1300495001 Date: 18 Apr 2013 Page 1 of 12
(SVHC)

NINGBO ZHONGGAO SEAL TECHNOLOGY CO., LTD
ROOM 910, BUILDING 311, JIANGNAN-YIPIN GARDEN, HI-TECH ZONE, NINGBO, CHINA

The following sample(s) was/were so certified and identified on behalf of the clients as: NBR O-ring

SGS Job No: NP13-000467-NB

Date of Sample Received: 07 Apr 2013

Testing Period: 07 Apr 2013 - 18 Apr 2013

Test Requested: As requested by client, SVHC screening is performed according to (i) One Hundred and thirty eight (138) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Dec 19, 2012 regarding Regulation (EC) No 1907/2006 concerning the REACH.

Test Results: Please refer to next page(s).

Summary:

According to the specified scope and analytical techniques, concentrations of tested SVHC are ≤ 0.1% (w/w) in the submitted sample.	PASS
---	------

Signed for and on behalf of
SGS-CSTC Ltd.

Iris Xiao
Iris Xiao
Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at this page on condition that you have accepted the conditions and conditions of use of the website. The document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at this page on condition that you have accepted the conditions and conditions of use of the website. The document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at this page on condition that you have accepted the conditions and conditions of use of the website.



Test Report No. NGBEC1300495001 Date: 18 Apr 2013 Page 2 of 12
(SVHC)

Remark:

(1) The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA:
<http://echa.europa.eu/web/guest/candidate-list-table>
These lists are under evaluation by ECHA and may subject to change in the future.

(2) Concerning article(s):
In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totalling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).

Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.

SGS adopts the interpretation of ECHA for SVHC in article unless indicated otherwise. Detail explanation is available at the following link:
http://webstg.sgs.com/sgs/sgsdocuments/SGS-CTS_SVHC-paper-EN-11.pdf

(3) Concerning material(s):
Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No 1907/2006.


(4) Concerning substance and preparation:
If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1372/2008 and No 790/2009, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC)

This document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at this page on condition that you have accepted the conditions and conditions of use of the website. The document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at this page on condition that you have accepted the conditions and conditions of use of the website. The document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at this page on condition that you have accepted the conditions and conditions of use of the website.



Test Report No. NGBEC1300495001 Date: 18 Apr 2013 Page 12 of 12
(SVHC)

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at this page on condition that you have accepted the conditions and conditions of use of the website. The document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at this page on condition that you have accepted the conditions and conditions of use of the website. The document is issued by the Company subject to its General Conditions of Service printed hereon, available on request or accessible at this page on condition that you have accepted the conditions and conditions of use of the website.

Reach 英文版1

Reach 英文版2

Reach 英文版12